



**Kodak**

Scanners

Supplies & Consumables

# Contents

---

Introduction .....	1
Quick Reference – lamps .....	2
General Consumables for ALL <i>Kodak</i> Scanners .....	3
<i>Kodak</i> i4000 Series Scanners.....	4
Consumable Guidelines for i4000 Series Scanners.....	5
<i>Kodak</i> i700 Series Scanners.....	6
Consumable Guidelines for i700 Series Scanners.....	7
<i>Kodak</i> i600 Series Scanners.....	8
Consumable Guidelines for i600 Series Scanners.....	9
<i>Kodak Ngenuity</i> 9000 Series Scanners .....	10
<i>Kodak</i> i1800 Series Scanners.....	11
Consumable Guidelines for i600/i700/i1800/i4000 Series Scanners .....	12
<i>Kodak</i> s1740 Capture System .....	15
<i>Kodak</i> i1200/i1300 Series Scanners/ <i>Kodak</i> i1200/i1300 Plus Series Scanners.....	16
<i>Kodak</i> i1400 Series Scanners.....	17
<i>Kodak Sidekick</i> 1400u Scanner .....	18
<i>Kodak Trüper</i> 3210 and 3610 Scanners .....	19
<i>Kodak ScanMate</i> i1120 Scanner .....	20
<i>Kodak</i> i30/i40 Scanners .....	20
<i>Kodak</i> i100 Series Scanners.....	21
<i>Kodak</i> i200 Series Scanners.....	22
<i>Kodak</i> s1220 Photo Scanning System.....	23
<i>Kodak</i> Picture Saver Scanning System / PS400/PS800.....	24
<i>Kodak</i> Scan Station 500 .....	25
Consumable Guidelines for Scan Station 500, s1220 Photo Scanner, PS400/PS400 Scanners and i100/i200/i1200/i1300/i1400 Series Scanners .....	26
<i>Kodak</i> Scan Station 100 .....	27
<i>Kodak</i> i800 Series Scanners.....	28
Consumable Guidelines for i800 Series Scanners.....	30
<i>Kodak Digital Science</i> Document Scanner 9520/9500 .....	32
<i>Kodak Imagemark</i> Scanner/Microimager 990 .....	34
<i>Kodak Digital Science</i> Document Scanner 7520/7500 .....	36
<i>Kodak Digital Science</i> Color Scanner 4500 .....	37
<i>Kodak Digital Science</i> Color Scanner 3590C .....	39
<i>Kodak Digital Science</i> 3500, 3510, 3520 Scanners.....	41
Consumable Guidelines for 3000/4000 Series Scanners.....	42
<i>Kodak Digital Science</i> Scanner 2500.....	44
<i>Kodak Digital Science</i> Scanner 1500.....	54
<i>Kodak</i> i50/i55/i60/i65/i80 Scanners .....	44

# Supplies and Consumables

## For **Kodak** Scanners

Kodak offers supplies and consumables for all *Kodak* Scanners. For optimal feeder performance and image quality, Kodak recommends using professional cleaning materials and consumable items, such as:

- Roller cleaning pads
- Transport cleaning sheets
- Staticide wipes
- Calibration targets
- Feeder and Separation rollers
- Lamps
- Ink cartridges
- Imaging guides



**Usage figures of supplies and consumables are not guaranteed. Customer-operating environments, document type, the condition of the documents being scanned, and not following the recommended cleaning and replacement procedures, can cause the life of the consumables to vary.**

This document contains catalog numbers and descriptions for supplies and consumables that are used with *Kodak* Scanners. The guidelines specified in this document are based upon Kodak's testing.

- **Calibration Target:** a calibration target will last longer if the recommended maintenance of the scanner is followed. Variables such as paper types (i.e., carbonless paper), dirty feed rollers, which can transfer debris on the target, etc. will shorten the usage of the calibration target. Always clean your scanner **before** calibrating.
- **Imaging Guides:** imaging guides may need to be replaced if you notice degrading image quality or if something happens to the white patch on the imaging guide.
  - Degrading image quality: (i.e., a consistent streak in most/all images that does not disappear after cleaning the imaging guides). Visually inspect the imaging guides to see if they are heavily scratched. If so, the imaging guides may need to be replaced.
  - White patch: White patches are not on all imaging guides. The i800, i1800, i700, i600, i1400, i200, i100, 4500, 3590C Scanners and 5000/7000 Series Scanners include a white patch. Visually inspect the white patch and look for signs of aging (discoloration of the patch). If the patch shows discoloration, replace the white patch or call Service.
- **Tires:** *Kodak* Scanners use replaceable tires that can feed a wide range of document types, sizes and thicknesses. Tire life and performance will vary based on the customer's document set, the frequency of cleaning the transport and tires, and following the recommended schedule for changing tires. You should change the tires if you notice an increase in multiple feeds, stoppages, or a decrease in feeder performance that is not resolved by following the cleaning procedures.

For further information go to the Kodak website: [www.Kodak.com/go/docimaging](http://www.Kodak.com/go/docimaging).

The following chart provides a quick reference of the imaging lamps provided by Kodak and the scanners these consumables are used with. It is suggested that all lamps be replaced every 500 hours of operation or as necessary (i.e., as reported by the scanner, repeated image calibration failures, etc.)

NOTE: Only the scanners listed below have customer-replaceable lamps. Contact Kodak Service for all other scanners.







Lamps													
CAT No.	Description	500	3500	3520	3590C	4500	5000	7500	7520	9500	9520	990	i800
816 2190	White Imaging Lamp – 16-inch											√	
912583*	White Imaging Lamp – 14-inch											√	
806 0824	Red Color Drop-Out – 14-inch											√	
813 7903	Blue Color Drop-Out 14"											√	
817 8626	Green Color Drop-Out – 14-inch											√	
162 2851	Red Imaging Element 16"											√	
813 0635	Blue Imaging Element 16"											√	
193 4140	Green Imaging Element 16"											√	
800 1370	Blue Imaging Element	√	√	√	√		√	√	√				
132 9812	Green Imaging Element	√	√	√	√		√	√	√				
126 0884	Red Imaging Element	√	√	√	√		√	√	√				
876 6545	White Imaging Lamp	√	√	√	√	√	√	√	√				√
324511*	White Imaging Lamp									√	√	√	
160 0410	Blue Imaging Color Drop-out									√	√		
175 9893	Red Imaging Color Drop-out									√	√		
104 9675	Green Imaging Color Drop-out									√	√		

- Order from Parts Services.

## General Consumables for ALL Kodak Scanners










The consumables listed below are for use with all *Kodak* Scanners.

Please see individual scanners for consumables and accessories specific to your model.






CAT No.	Description
853 5981 	<b>Kodak Digital Science Roller Cleaning Pads</b> (24 per package) <b>Usage:</b> approximately one pad per day or more frequently if required.
169 0783 	<b>Kodak Digital Science Transport Cleaning Sheets</b> (50 sheets per package) <b>Usage:</b> 2 to 4 sheets per 8-hour shift/machine.
896 5519 	<b>Staticide Wipes / for Kodak Scanners</b> (6 boxes of 24) <b>Usage:</b> approximately 1 per day.
826 6488 	<b>Brilliance Detailer Wipes / for Kodak Scanners</b> <b>Includes:</b> 12 dual packets with a microfiber cloth <b>Usage:</b> these cleaning pads are an alternative to the Staticide wipes for cleaning and polishing of the scanner's image guides when scanning in color. Do not use this wipes on the feeding or transport rollers.
<b>The following parts can be ordered from Parts Service</b>	
TL 2253 	<b>Round Cleaning Brush</b> (Natural bristle) – 1 per package
TL 2156 	<b>Flat Cleaning Brush</b> (Natural bristle) – 1 per package



## Kodak i4000 Series Scanners

CAT No.	Description
832 7538  Also available in Extra Large size 838 7938 Also available in Extra-Extra Large size 146 2415	<b>Kodak Feeder Consumables Kit / for i4000 Series Scanners</b> <b>Includes:</b> 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires <b>Usage:</b> see the table on page 13 for a guideline on how often to change consumables.
	<b>Kodak Extra Large Feeder Consumables Kit / for i4000 Series Scanners</b> <b>Includes:</b> 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires <b>Usage:</b> see the table on page 13 for a guideline on how often to change consumables.
	<b>Kodak Extra-Extra Large Feeder Consumables Kit / for i4000 Series Scanners</b> <b>Includes:</b> 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires <b>Usage:</b> see the table on page 14 for a guideline on how often to change consumables.
844 5280 	<b>Kodak Feeder Kit for Ultra-Lightweight Paper / for i4000 Series Scanners</b> <b>Includes:</b> 1 feed module, 1 separation roller, 4 pre-separation pads, 18 replacement tires for feed module, 10 replacement tires for separation rollers <b>Usage:</b> for feeding very thin documents.
834 8054 	<b>Kodak Imaging Guide Set (without Enhanced Printer)</b> <b>Includes:</b> 1 upper/1 lower <b>Usage:</b> replace as required because of damage and/or scratches.
808 8239 	<b>Kodak Imaging Guide Set (with Enhanced Printer)</b> <b>Includes:</b> 1 upper/1 lower <b>Usage:</b> only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches.
871 4438 	<b>Kodak Flippable White Background (without Enhanced Printer)</b> <b>Includes:</b> 1 upper/1 lower <b>Usage:</b> replace as required because of damage and/or scratches.
800 0853 	<b>Kodak Flippable White Background (with Enhanced Printer)</b> <b>Includes:</b> 1 upper/1 lower <b>Usage:</b> only for use when Enhanced Printer Accessory is installed. Does not include Enhanced Printer Accessory. Replace as required because of damage and/or scratches.
840 5425 	<b>Ink Blotters (60 per package)</b> <b>Usage:</b> replace when there is a build-up of ink.
818 3386 	<b>Enhanced Printer: Black Ink Cartridge (9 cartridges – 3 packs of 3)</b> <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	<b>Enhanced Printer: Red Ink Cartridge (9 cartridges – 3 packs of 3)</b> <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.

\* Based on font size (small or large) being used.

CAT No.	Description
113 3842 	<b>Enhanced Printer: Ink Cartridge Carrier</b> <b>Usage:</b> replace if original carrier is lost or damaged.
809 6943 	<b>Kodak Enhanced Printer Accessory</b> <b>Included:</b> 1 upper imaging guide, 1 upper flippable background accessory, 1 Enhanced Printer carrier, 1 Enhanced Black Ink Cartridge, 4 ink blotters <b>Usage:</b> provides an effective way to apply information to the scanned document.
867 7288 	<b>Kodak A4 Flatbed Accessory</b> <b>Includes:</b> A4 Flatbed with white background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A4 / 219 x 300 mm (8.62 x 11.81 in.)
179 6747 	<b>Kodak A3 Flatbed Accessory</b> <b>Includes:</b> A3 Flatbed with black background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.)
<b>The following parts can be ordered from Parts Service</b>	
5E4754 	<b>26" Document Extender</b> – 1 per package <b>Usage:</b> accommodates documents longer than 17 inches.
9E3216	<i>Also available in 30" length.</i>
9E5277	<i>Also available in 36" length.</i>









#### Feed Module and Separation Roller Guidelines for the i4000 Series Scanners Consumable Kits

The tables on pages 13 and 14 provide a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged when replacing tires.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 500,000 documents; results will vary. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7<sup>th</sup> tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change each time you change the feed module, separation roller or change the tires.









## Kodak i700 Series Scanners

CAT No.	Description
 108 4755  <i>Also available in Extra Large size 842 6157</i>  <i>Also available in Extra-Extra Large size 134 3680</i>	<p><b>Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners</b>  <b>Includes:</b> 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires  <b>Usage:</b> see the table on page 13 for a guideline on how often to change consumables.</p> <p><b>Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners</b>  <b>Includes:</b> 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires  <b>Usage:</b> see the table on page 13 for a guideline on how often to change consumables.</p> <p><b>Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners</b>  <b>Includes:</b> 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires  <b>Usage:</b> see the table on page 14 for a guideline on how often to change consumables.</p>
 896 5279	<p><b>Kodak Feeder Kit for Ultra-Lightweight Paper / for i600/i700/i1800 Series Scanners</b>  <b>Includes:</b> 1 feed module, 1 separation roller, 4 pre-separation pads, 18 replacement tires for feed module, 10 replacement tires for separation rollers  <b>Usage:</b> for feeding very thin documents.</p>
 197 6703	<p><b>Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners</b>  <b>Includes:</b> 1 upper/1 lower  <b>Usage:</b> replace as required because of damage and/or scratches.</p>
 127 1436	<p><b>Kodak Calibration Targets</b> (5 per package) 12- x 12-inch  <b>Usage:</b> see usage guidelines on page 1.</p>
 840 5425	<p><b>Document Printer: Ink Blotters</b> (60 per package)  <b>Usage:</b> replace when there is a build-up of ink.</p>
 818 3386	<p><b>Enhanced Printer: Black Ink Cartridge</b> (9 cartridges – 3 packs of 3)  <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
 159 6832	<p><b>Enhanced Printer: Red Ink Cartridge</b> (9 cartridges – 3 packs of 3)  <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>
 113 3842	<p><b>Enhanced Printer: Ink Cartridge Carrier</b>  <b>Usage:</b> replace if original carrier is lost or damaged.</p>

\* Based on font size (small or large) being used.



CAT No.	Description
163 4948 	<b>Kodak Manual Feeder / for i600/i700 Series Scanners</b> <b>Includes:</b> 1 feed shelf, 2 detachable side guides, instructions for installation and use <b>Usage:</b> provides a flat surface to aid in manual document feeding.
894 9000 	<b>Kodak White Background Accessory / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 2 White Background Strips <b>Usage:</b> reduces black background bleed-through while scanning producing whiter images.
801 4755 	<b>Black Background / for i600/i700/i1800 Series Scanners</b> – 2 per package <b>Usage:</b> replace as required because of damage and/or scratches.
<b>The following parts can be ordered from Parts Service</b>	
5E4754 	<b>26" Document Extender</b> – 1 per package <b>Usage:</b> accommodates documents longer than 17 inches.
9E3216	<i>Also available in 30" length.</i>
9E5277	<i>Also available in 36" length.</i>
3E9575 	<b>Exit deflector</b> – 1 per package <b>Usage:</b> improves paper stacking.
9E5746 	<b>Short document tray</b> <b>Usage:</b> allows scanning of smaller documents.











#### Feed Module and Separation Roller Guidelines for the i700 Series Scanners Consumable Kits

The tables on pages 13 and 14 provide a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged when replacing tires.







- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 500,000 documents; results will vary. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7<sup>th</sup> tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change each time you change the feed module, separation roller or change the tires.



## Kodak i600 Series Scanners

CAT No.	Description
108 4755  <i>Also available in Extra Large size 842 6157</i>  <i>Also available in Extra-Extra Large size 134 3680</i>	<b>Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires <b>Usage:</b> see the table on page 13 for a guideline on how often to change consumables.
	<b>Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires <b>Usage:</b> see the table on page 13 for a guideline on how often to change consumables.
	<b>Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires <b>Usage:</b> see the table on page 14 for a guideline on how often to change consumables.
896 5279 	<b>Kodak Feeder Kit for Ultra-Lightweight Paper / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 1 feed module, 1 separation roller, 4 pre-separation pads, 18 replacement tires for feed module, 10 replacement tires for separation rollers <b>Usage:</b> for feeding very thin documents.
197 6703 	<b>Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 1 upper/1 lower <b>Usage:</b> replace as required because of damage and/or scratches.
127 1436 	<b>Kodak Calibration Targets</b> (5 per package) 12- x 12-inch <b>Usage:</b> see usage guidelines on page 1.
135 5155 	<b>Document Printer: Ink Cartridges / Black</b> (10 cartridges) <b>Usage:</b> approximately 350,000 to 450,000* characters per ink cartridge. NOTE: If you have the Enhanced Printer, order CAT No. 818 3386
840 5425 	<b>Document Printer: Ink Blotters</b> (60 per package) <b>Usage:</b> replace when there is a build-up of ink.
826 7486 	<b>Document Printer: Ink Cartridge Carrier</b> <b>Usage:</b> replace if original carrier is lost or damaged. <ul style="list-style-type: none"> <li>• If you have the Enhanced Printer, order CAT No. 113 3842</li> <li>• If you previously ordered CAT No. 838 4485 (Ink Cartridge Carrier), order this carrier now.</li> </ul>
818 3386 	<b>Enhanced Printer: Black Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	<b>Enhanced Printer: Red Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
113 3842 	<b>Enhanced Printer: Ink Cartridge Carrier</b> <b>Usage:</b> replace if original carrier is lost or damaged. <ul style="list-style-type: none"> <li>• If you have the Document Printer, order CAT No. 826 7486</li> </ul>

\* Based on font size (small or large) being used.

CAT No.	Description
163 4948 	<b>Kodak Manual Feeder / for i600/i700 Series Scanners</b> <b>Includes:</b> 1 feed shelf, 2 detachable side guides, instructions for installation and use <b>Usage:</b> provides a flat surface to aid in manual document feeding.
894 9000 	<b>Kodak White Background Accessory / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 2 White Background Strips <b>Usage:</b> reduces black background bleed-through while scanning producing whiter images.
801 4755 	<b>Black Background / for i600/i700/i1800 Series Scanners</b> – 2 per package <b>Usage:</b> replace as required because of damage and/or scratches.
<b>The following parts can be ordered from Parts Service</b>	
5E4754 	<b>26" Document Extender</b> – 1 per package) <b>Usage:</b> accommodates documents longer than 17 inches.
9E3216	<i>Also available in 30" length.</i>
9E5277	<i>Also available in 36" length.</i>
3E9575 	<b>Exit deflector</b> – 1 per package <b>Usage:</b> improves paper stacking.
9E5746 	<b>Short Document Tray</b> <b>Usage:</b> allows scanning of smaller documents.









#### Feed Module and Separation Roller Guidelines for the i600 Series Scanners Consumable Kits

The tables on pages 13 and 14 provide a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged when replacing tires.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 500,000 documents; results will vary. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7<sup>th</sup> tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change each time you change the feed module, separation roller or change the tires.












## Kodak Ngenuity 9000 Series Scanners

CAT No.	Description
176 6674 	<b>Small Roller Kit</b> <b>Includes:</b> 4 separator spacers, 4 o-rings, 2 separator rollers, 8 pick/driver tires <b>Usage:</b> has the potential to scan up to 1.2 million scans.
844 3491 	<b>Medium Roller Kit</b> <b>Includes:</b> 12 separator spacers, 12 o-rings, 6 separator rollers, 24 pick/driver tires <b>Usage:</b> has the potential to scan up to 3.6 million scans.
115 8153 	<b>Large Roller Kit</b> <b>Includes:</b> 24 separator spacers, 24 o-rings, 12 separator rollers, 48 pick/driver tires <b>Usage:</b> has the potential to scan up to 7.2 million scans.
179 7158 	<b>Blower Brush</b> <b>Includes:</b> 1 blower brush <b>Usage:</b> for cleaning scanners sensors.
162 0640 	<b>Imaging Guide Assembly</b> <b>Includes:</b> 1 imaging guide assembly <b>Usage:</b> replace as required because of damage and/or scratches.
863 4230 	<b>Front/Rear Imprinter Accessory</b> <b>Includes:</b> 1 imprinter, 1 black ink cartridge <b>Usage:</b> front page (pre-scan) or back page (post-scan) imprinter prints the user specified alphanumeric string on the front side of documents.
818 3386 	<b>Enhanced Printer: Black Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	<b>Enhanced Printer: Red Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.










\* Based on font height/width being used.



## Kodak i1800 Series Scanners

CAT No.	Description
108 4755  Also available in Extra Large size 842 6157  Also available in Extra-Extra Large size 134 3680	<b>Kodak Feeder Consumables Kit / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 1 feed module, 1 separation roller, 18 pre-separation pads, 50 replacement tires <b>Usage:</b> see the table on page 13 for a guideline on how often to change consumables.
	<b>Kodak Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 5 feed modules, 5 separation rollers, 76 pre-separation pads, 200 replacement tires <b>Usage:</b> see the table on page 13 for a guideline on how often to change consumables.
	<b>Kodak Extra-Extra Large Feeder Consumables Kit / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 10 feed modules, 10 separation rollers, 154 pre-separation pads, 400 replacement tires <b>Usage:</b> see the table on page 14 for a guideline on how often to change consumables.
896 5279 	<b>Kodak Feeder Kit for Ultra-Lightweight Paper / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 1 feed module, 1 separation roller, 4 pre-separation pads, 18 replacement tires for feed module, 10 replacement tires for separation rollers <b>Usage:</b> for feeding very thin documents.
197 6703 	<b>Kodak Imaging Guide Set / for i600/i700/i1800 Series Scanners</b> <b>Includes:</b> 1 upper/1 lower <b>Usage:</b> replace as required because of damage and/or scratches.
127 1436 	<b>Kodak Calibration Targets</b> (5 per package) 12- x 12-inch <b>Usage:</b> see usage guidelines on page 1.
822 1376 	<b>High Resolution Printer: Black Ink Cartridge</b> (6 cartridges) <b>Usage:</b> approximately 2,000,000 to 5,000,000 characters per ink cartridge depending on the <i>Contrast</i> setting (from 100 to 12 respectively). For specific details see the table on page 30
145 6532 	<b>High Resolution Printer: Red Ink Cartridge</b> (6 cartridges) <b>Usage:</b> approximately 2,000,000 to 5,000,000 characters per ink cartridge depending on the <i>Contrast</i> setting (from 100 to 12 respectively). For specific details see the table on page 30.
877 6254 	<b>High Resolution Printer Maintenance Kit</b> <b>Includes:</b> 2 ink blotter trays, 50 cloth wipes <b>Usage:</b> replace when there is a build-up of ink.
818 3386 	<b>Enhanced Printer: Black Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	<b>Enhanced Printer: Red Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.

\* Based on font size (small or large) being used.

CAT No.	Description
125 7633 	<b>Kodak Printer Ink Blotters, Front Side / for i1800 Series Scanners</b> (60 per package) <b>Usage:</b> replace when there is a build-up of ink.
114 1472 	<b>Kodak Printer Ink Blotters, Rear Side / for i1800 Series Scanners</b> (60 per package) <b>Usage:</b> replace when there is a build-up of ink.
874 1894 	<b>Kodak Manual Feeder / for i1800 Series Scanners</b> <b>Includes:</b> 1 feed shelf, 2 detachable side guides, and instructions for installation and use <b>Usage:</b> provides a flat surface to aid in manual document feeding.
894 9000 	<b>Kodak White Background Accessory</b> <b>Includes:</b> 2 White Background Strips <b>Usage:</b> reduces black background bleed-through while scanning producing whiter images.
801 4755 	<b>Black Background / for i600/i700/i1800 Series Scanners</b> – 2 per package <b>Usage:</b> replace as required because of damage and/or scratches.
<b>The following parts can be ordered from Parts Services</b>	
9E5146 	<b>Enhanced Printer: Ink Cartridge Carrier</b> <b>Includes:</b> 1 carrier and ribbon cable <b>Usage:</b> replace if original carrier is lost or damaged.
5E4754 	<b>26" Document Extender</b> <b>Includes:</b> 1 per box <b>Usage:</b> accommodates documents longer than 17 inches.
9E3216	<i>Also available in 30" length.</i>
9E5277	<i>Also available in 36" length.</i>
3E9575 	<b>Exit deflector</b> <b>Includes:</b> 1 per box <b>Usage:</b> improves paper stacking.
9E5746 	<b>Short document tray</b> <b>Usage:</b> allows scanning of smaller documents.

#### Feed Module/Separation Roller Guidelines for the i600/i700/i1800/i4000 Series Scanners Consumable Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged during replacement.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 500,000 pages; results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7<sup>th</sup> tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change each time you change the feed module, separation roller or change the tires.

Description	Feeder Consumables Kit	Extra Large Feeder Consumables Kit	Extra Extra Large Feeder Consumables Kit	Feeder Kit for Ultra-lightweight Paper
	CAT No. 108 4755 / 832 7538	CAT No. 842 6157 / 838 7938	CAT No.134 3680/ 146 2415	CAT No. 896 5279/ 844 5280
Feed Modules (4 tires)	1	5	10	1
Separation Rollers (2 tires)	1	5	10	1
Pre-Separation Pads	18	76	154	4
Replacement Tires	50	200	400	N/A
Replacement Tires for Feed Module	N/A	N/A	N/A	17
Replacement Tires for Separation Roller	N/A	N/A	N/A	10
<b>Expected scans / kit</b>	<b>3,500,000</b>	<b>17,500,000</b>	<b>38,500,000</b>	<b>2,400,000</b>

Consumables Kit for i600/i700/i1800/i4000 Series Scanners – CAT No. 108 4755 / 832 7538				
	Feed Module Tires	Separation Roller Tires	Pre-Separation Pads	Cumulative Pages Scanned
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>0</b>
Change pad/tires	4	2	1	500,000
Change pad/tires	4	2	1	1,000,000
Change pad/tires	4	2	1	1,500,000
Change pad/tires	4	2	1	2,000,000
Change pad/tires	4	2	1	2,500,000
Change pad/tires	4	2	1	3,000,000
<b>Totals</b>	<b>24</b>	<b>12</b>	<b>7</b>	<b>3,500,000</b>

Extra Large Consumables Kit for i600/i700/i1800/i4000 Series Scanners – CAT No. 842 6157 / 838 7938				
	Feed Module Tires	Separation Roller Tires	Pre-Separation Pads	Cumulative Pages Scanned
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>0</b>
Change pad/tires	4	2	1	500,000
Change pad/tires	4	2	1	1,000,000
Change pad/tires	4	2	1	1,500,000
Change pad/tires	4	2	1	2,000,000
Change pad/tires	4	2	1	2,500,000
Change pad/tires	4	2	1	3,000,000
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>3,500,000</b>
Change pad/tires	4	2	1	4,000,000
Change pad/tires	4	2	1	4,500,000
Change pad/tires	4	2	1	5,000,000
Change pad/tires	4	2	1	5,500,000
Change pad/tires	4	2	1	6,000,000
Change pad/tires	4	2	1	6,500,000
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>7,000,000</b>
Change pad/tires	4	2	1	7,500,000
Change pad/tires	4	2	1	8,000,000
Change pad/tires	4	2	1	8,500,000
Change pad/tires	4	2	1	9,000,000
Change pad/tires	4	2	1	9,500,000
Change pad/tires	4	2	1	10,000,000

<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>10,500,000</b>
Change pad/tires	4	2	1	11,000,000
Change pad/tires	4	2	1	11,500,000
Change pad/tires	4	2	1	12,000,000
Change pad/tires	4	2	1	12,500,000
Change pad/tires	4	2	1	13,000,000
Change pad/tires	4	2	1	13,500,000
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>14,000,000</b>
Change pad/tires	4	2	1	14,500,000
Change pad/tires	4	2	1	15,000,000
Change pad/tires	4	2	1	15,500,000
Change pad/tires	4	2	1	16,000,000
Change pad/tires	4	2	1	16,500,000
Change pad/tires	4	2	1	17,000,000
<b>Totals</b>	<b>120</b>	<b>60</b>	<b>35</b>	<b>17,500,000</b>

<b>Extra, Extra Large Consumables Kit for i600/i700/i1800/i4000 Series Scanners – CAT No. 134 3680 / 146 2415</b>				
	<b>Feed Module Tires</b>	<b>Separation Roller Tires</b>	<b>Pre-Separation Pads</b>	<b>Cumulative Pages Scanned</b>
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>0</b>
Change pad/tires	4	2	1	500,000
Change pad/tires	4	2	1	1,000,000
Change pad/tires	4	2	1	1,500,000
Change pad/tires	4	2	1	2,000,000
Change pad/tires	4	2	1	2,500,000
Change pad/tires	4	2	1	3,000,000
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>3,500,000</b>
Change pad/tires	4	2	1	4,000,000
Change pad/tires	4	2	1	4,500,000
Change pad/tires	4	2	1	5,000,000
Change pad/tires	4	2	1	5,500,000
Change pad/tires	4	2	1	6,000,000
Change pad/tires	4	2	1	6,500,000











<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>31,500,000</b>
Change pad/tires	4	2	1	32,000,000
Change pad/tires	4	2	1	32,500,000
Change pad/tires	4	2	1	33,000,000
Change pad/tires	4	2	1	33,500,000
Change pad/tires	4	2	1	34,000,000
Change pad/tires	4	2	1	34,500,000
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>35,000,000</b>
Change pad/tires	4	2	1	35,500,000
Change pad/tires	4	2	1	36,000,000
Change pad/tires	4	2	1	36,500,000
Change pad/tires	4	2	1	37,000,000
Change pad/tires	4	2	1	37,500,000
Change pad/tires	4	2	1	38,000,000
<b>Totals</b>	<b>264</b>	<b>132</b>	<b>77</b>	<b>38,500,000</b>





## Kodak s1740 Capture System








CAT No.	Description
834 1786 	<b>Cleaner Stick / for <i>Kodak s1700 Capture System</i></b> <b>Includes:</b> <b>Usage:</b> Replace when the cleaner stick is worn.
848 8504 	<b>Feeder Wheel / for <i>Kodak s1700 Capture System</i></b> <b>Includes:</b> 1 feeder wheel <b>Usage:</b> Replace when wheel is worn or the increase in multi-feeds occurs.
869 8854 	<b>Felt Belt Separator, Upper / for <i>Kodak s1700 Capture System</i></b> <b>Includes:</b> 1 upper belt <b>Usage:</b> Replace when wheel is worn or the increase in multi-feeds occurs.
882 7677 	<b>Felt Belt Separator, Lower / for <i>Kodak s1700 Capture System</i></b> <b>Includes:</b> 1 lower belt <b>Usage:</b> Replace when wheel is worn or the increase in multi-feeds occurs.
155 2637 	<b>Felt Blotter / for <i>Kodak s1700 Capture System</i></b> <b>Includes:</b> <b>Usage:</b> Replace when blotter starts to get saturated with ink.
865 6159 	<b>Ink Cartridge / for <i>Kodak s1700 Capture System</i></b> <b>Includes:</b> 1 ink cartridge <b>Usage:</b> Replace when print quality starts to become light and unreadable.
868 3724 	<b>Optics Cleaner / for <i>Kodak s1700 Capture System</i></b> <b>Includes:</b> 1 optics cleaner <b>Usage:</b> Replace when optics cleaner becomes dirty and shows signs of wear.
188 6902 	<b>Ribbon Cartridge MICR / for <i>Kodak s1700 Capture System</i></b> <b>Includes:</b> 1 ribbon cartridge <b>Usage:</b> Approximately 80,000 characters.

**NOTE:** Printer ink will start drying out after a certain amount of time on the shelf; therefore, it is not recommended that you "over-order" ink cartridges/ribbon cartridges














## Kodak i1200 and i1300 Series Scanners

### Kodak i1200 and i1300 Plus Series Scanners

CAT No.	Description
148 4864 	<b>Kodak Feed Rollers / for i1200/i1300 Series Scanners</b> <b>Includes:</b> 12 feed rollers and 2 pre-separation pads <b>Usage:</b> See the table on page 26 for a guideline on how often to change consumables.
173 6115 	<b>Kodak Separation Module / for i1200/i1300 Series Scanners</b> <b>Includes:</b> 1 separation module <b>Usage:</b> this module has the potential to scan up to 250,000 pages.
826 9607 	<b>Kodak Feed Module / for i1200/i1300 Series Scanners</b> <b>Includes:</b> 1 feed module <b>Usage:</b> this module has the potential to scan up to 500,000 pages.
867 7288 	<b>Kodak A4 Flatbed Accessory</b> <b>Includes:</b> A4 Flatbed with white background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A4 / 219 x 300 mm (8.62 x 11.81 in.).
863 6870 	<b>Kodak Black Background Accessory for A4 Flatbed</b> <b>Includes:</b> 1 Flatbed cover with black background <b>Usage:</b> adds a defined black border on your image. This is an option for the A4 Flatbed.
179 6747 	<b>Kodak A3 Flatbed Accessory</b> <b>Includes:</b> A3 Flatbed with black background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).
892 7717 	<b>Kodak White Background Accessory for the Kodak i1200/i1300 Scanner</b> <b>Includes:</b> 1 white background plate. <b>Usage:</b> reduces black background bleed-through, thus producing whiter images. This is an option for the front scanned images only on the Kodak i1200 and i1300 Scanners.











## Kodak i1400 Series Scanners

CAT No.	Description
124 1066 	<b>Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners</b> <b>Includes:</b> 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires <b>Usage:</b> See the table on page 26 for a guideline on how often to change consumables.
Also available in Extra Large size 821 5808	<b>Kodak Extra Large Feeder Consumables Kit / for i100/i200/i1400 Series Scanners</b> <b>Includes:</b> 5 feed modules, 5 separation rollers, 10 pre-separation pads, 120 replacement tires <b>Usage:</b> See the table on page 26 for a guideline on how often to change consumables.
197 8253 	<b>Kodak Imaging Guide Set for i1400 Series Scanners</b> <b>Includes:</b> 1 upper guide, 1 lower guide <b>Usage:</b> replace when damaged or scratched.
135 5155 	<b>Document Printer: Ink Cartridges / Black</b> (10 cartridges) <b>Usage:</b> approximately 350,000 to 450,000* characters per ink cartridge. NOTE: If you have the Enhanced Printer, order CAT No. 818 3386.
840 5425 	<b>Document Printer: Ink Blotters</b> (60 per package) <b>Usage:</b> replace when there is a build-up of ink.
826 7486 	<b>Document Printer: Ink Cartridge Carrier</b> <b>Usage:</b> purchase this item if you want to use the print function on the i1420 or i1440 Scanner. NOTE: If you have the Enhanced Printer, order CAT No. 113 3842.
818 3386 	<b>Enhanced Printer: Black Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge. * Based on font size (small or large) being used.
159 6832 	<b>Enhanced Printer: Red Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge. * Based on font size (small or large) being used.
113 3842 	<b>Enhanced Printer: Ink Cartridge Carrier</b> <b>Usage:</b> purchase this item if you want to use the print function on the i1420 or i1440 Scanner. NOTE: If you have the Document Printer, order CAT No. 826 7486.
867 7288 	<b>Kodak A4 Flatbed Accessory</b> <b>Includes:</b> A4 Flatbed with white background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A4 / 219 x 300 mm (8.62 x 11.81 in.)
863 6870 	<b>Kodak Black Background Accessory for A4 Flatbed</b> <b>Includes:</b> 1 Flatbed cover with black background <b>Usage:</b> adds a defined black border on your image. This is an option for the A4 Flatbed.
179 6747 	<b>Kodak A3 Flatbed Accessory</b> <b>Includes:</b> A3 Flatbed with black background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).




## Kodak Sidekick 1400u Scanner

CAT No.	Description
107 0820 	<b>Roller Exchange Kit – Black</b> <b>Includes:</b> black front and back sensor rollers, 1 feed roller module, 1 separation roller module <b>Usage:</b> this kit has the potential to scan 300,000 documents.
128 4124 	<b>Roller Exchange Kit – White</b> <b>Includes:</b> white front and back sensor rollers, 1 feed roller module, 1 separation roller module <b>Usage:</b> for scanning translucent documents, the White Roller Exchange Kit will reduce black background bleed-through, producing whiter images.
179 7158 	<b>Blower Brush</b> <b>Includes:</b> 1 blower brush <b>Usage:</b> for cleaning scanners sensors.
815 6267 	<b>Shading Paper</b> <b>Includes:</b> 10 sheets <b>Usage:</b> used for calibrating the scanner.
103 3893 	<b>NCR Residue Cleaning Pad</b> <b>Includes:</b> 25 cleaning pads <b>Usage:</b> for cleaning rollers that have a buildup of ink residue.
818 3386 	<b>Enhanced Printer: Black Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	<b>Enhanced Printer: Red Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
887 0958 	<b>Imprinter Accessory</b> <b>Includes:</b> 1 imprinter, 1 black ink cartridge, 1 printer label <b>Usage:</b> front page (pre-scan) imprinter prints the user specified alphanumeric string on the front side of documents.

\* Based on font height/width being used.






## Kodak Trüper 3210 and 3610 Scanners

CAT No.	Description
846 0321 	<b>Roller Exchange Kit</b> <b>Includes:</b> 3 roller cleaning pads, 1 feed roller module, 1 separation roller module <b>Usage:</b> this kit has the potential to scan up to 300,000 documents.
179 7158 	<b>Blower Brush</b> <b>Includes:</b> 1 blower brush <b>Usage:</b> for cleaning scanners sensors.
153 5376 	<b>Shading Paper</b> <b>Includes:</b> 10 sheets <b>Usage:</b> used for calibrating the scanner.
103 3893 	<b>NCR Residue Cleaning Pad</b> <b>Includes:</b> 25 cleaning pads <b>Usage:</b> for cleaning rollers that have a buildup of ink residue on rollers.
818 3386 	<b>Enhanced Printer: Black Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
159 6832 	<b>Enhanced Printer: Red Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
896 1955 	<b>Imprinter Accessory</b> <b>Includes:</b> 1 imprinter, 1 black ink cartridge <b>Usage:</b> front page (pre-scan) imprinter prints the user-specified alphanumeric string on the front side of documents.
124 4847 	<b>Memory Upgrade Kit (512 MB)</b> <b>Usage:</b> for scanning job that may require additional memory depending on variables such as the size of the documents you are scanning and the desired image resolution.
109 2436 	<b>Long Document Paper Weight</b> (1 paper weight) <b>Usage:</b> aid in scanning extremely long documents. The paper weight improves long document handling by applying a small and uniform amount of pressure which allows documents to run smoothly through the scanner transport.

\* Based on font height/width being used.




## **Kodak ScanMate i1120 Scanner**

<b>CAT No.</b>	<b>Description</b>
894 6097 	<b>Kodak i1120 Pre-separation Pad</b> <b>Includes:</b> 4 pre-separation pads <b>Usage:</b> the pre-separation pad has the potential to scan up to 20,000-50,000 pages.
122 6034 	<b>Kodak i1120 Feed Roller Assembly</b> <b>Includes:</b> 1 per package <b>Usage:</b> the roller has the potential to scan up to 100,000-200,000 pages.
824 5862 	<b>Kodak i1120 Scanner Cleaning Swabs</b> <b>Includes:</b> 6 swabs per package <b>Usage:</b> as needed when cleaning the scanner.





## **Kodak i30/40 Scanners**

<b>CAT No.</b>	<b>Description</b>
174 7849 	<b>Kodak Feeder Module</b> <b>Includes:</b> 4 feed modules <b>Usage:</b> this module has the potential to scan up to 20,000 pages.









## Kodak i100 Series Scanners

CAT No.	Description
124 1066   <i>Also available in Extra Large size</i> 821 5808	<b>Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners</b> <b>Includes:</b> 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires <b>Usage:</b> See the table on page 26 for a guideline on how often to change consumables.
120 0278 	<b>Kodak Imaging Guide Set</b> <b>Includes:</b> 1 upper/1 lower <b>Usage:</b> replace as required because of damage and/or scratches.
829 3599	<b>Kodak White Background Accessory / for i100 Series Scanners</b> <b>Includes:</b> 1 white background strip <b>Usage:</b> reduces black background bleed-through while scanning producing white images.



## Kodak i200 Series Scanners








CAT No.	Description
124 1066   <i>Also available in Extra Large size</i> 821 5808	<b>Kodak Feeder Consumables Kit / for i100/i200/i1400 Series Scanners</b> <b>Includes:</b> 1 feeder module, 1 separation module, 2 pre-separation pads, 24 replacement tires <b>Usage:</b> See the table on page 26 for a guideline on how often to change consumables.
	<b>Kodak Extra Large Feeder Consumables Kit / for i100/i200/i1400 Series Scanners</b> <b>Includes:</b> 5 feed modules, 5 separation rollers, 10 pre-separation pads, 120 replacement tires <b>Usage:</b> See the table on page 26 for a guideline on how often to change consumables.
120 0278 	<b>Kodak Imaging Guide Set (for the Kodak i280 Scanner only)</b> <b>Includes:</b> 1 upper/1 lower <b>Usage:</b> replace as required because of damage and/or scratches.
131 7304 	<b>Kodak Calibration Target (5 targets per package) 11.7- x 11.7-inch</b> <b>Usage:</b> see usage guidelines on page 1.
135 5155 	<b>Document Printer: Ink Cartridges / Black (10 cartridges)</b> <b>Usage:</b> approximately 350,000 to 450,000* characters per ink cartridge.
840 5425 	<b>Document Printer: Ink Blotters (60 per package)</b> <b>Usage:</b> replace when there is a built-up of ink.
826 7486 	<b>Document Printer: Ink Cartridge Carrier</b> <b>Usage:</b> replace if original carrier is lost or damaged.

\* Based on font size (small or large) being used





## Kodak s1220 Photo Scanning System

CAT No.	Description
148 4864 	<b>Kodak Feed Rollers / for i1200/i1300 Series Scanners</b> <b>Includes:</b> 12 feed rollers and 2 pre-separation pads <b>Usage:</b> See the table on page 26 for a guideline on how often to change consumables.
173 6115 	<b>Kodak Separation Module / for i1200/i1300 Series Scanners</b> <b>Includes:</b> 1 separation module <b>Usage:</b> this module has the potential to scan up to 250,000 photos.
826 9607 	<b>Kodak Feed Module / for i1200/i1300 Series Scanners</b> <b>Includes:</b> 1 feed module <b>Usage:</b> this module has the potential to scan up to 500,000 pages.
826 6488 	<b>Brilliance Detailer Wipes / for Kodak Scanners</b> (12 dual packets with microfiber cloth) <b>Usage:</b> variable; depending on your scanner cleaning routine.
867 7288 	<b>Kodak A4 Flatbed Accessory</b> <b>Includes:</b> A4 Flatbed with white background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A4 / 219 x 300 mm (8.62 x 11.81 in.).
863 6870 	<b>Kodak Black Background Accessory for A4 Flatbed</b> <b>Includes:</b> 1 Flatbed cover with black background <b>Usage:</b> adds a defined black border on your image. This is an option for the A4 Flatbed.
179 6747 	<b>Kodak A3 Flatbed Accessory</b> <b>Includes:</b> A3 Flatbed with black background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).











## Kodak Picture Saver Scanning System / PS400/PS800



CAT No.	Description
148 4864 	<b>Kodak Feed Rollers / for i1200/i1300 Series Scanners</b> <b>Includes:</b> 12 feed rollers and 2 pre-separation pads <b>Usage:</b> See the table on page 26 for a guideline on how often to change consumables.
169 5097 	<b>Kodak Gentle Photo Separation Module</b> <b>Includes:</b> 1 separation module <b>Usage:</b> this module has the potential to scan up to 250,000 photos.
173 6115 	<b>Kodak Separation Module / for i1200/i1300 Series Scanners</b> <b>Includes:</b> 1 separation module <b>Usage:</b> this module is used for document scanning has the potential to scan up to 250,000 pages.
826 9607 	<b>Kodak Feed Module / for i1200/i1300 Series Scanners</b> <b>Includes:</b> 1 feed module <b>Usage:</b> this module has the potential to scan up to 500,000 pages.
826 6488 	<b>Brilliance Detailer Wipes / for Kodak Scanners</b> (12 dual packets with microfiber cloth) <b>Usage:</b> variable; depending on your scanner cleaning routine.
867 7288 	<b>Kodak A4 Flatbed Accessory</b> <b>Includes:</b> A4 Flatbed with white background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A4 / 219 x 300 mm (8.62 x 11.81 in.).
863 6870 	<b>Kodak Black Background Accessory for A4 Flatbed</b> <b>Includes:</b> 1 Flatbed cover with black background <b>Usage:</b> adds a defined black border on your image. This is an option for the A4 Flatbed.
179 6747 	<b>Kodak A3 Flatbed Accessory</b> <b>Includes:</b> A3 Flatbed with black background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).



## Kodak Scan Station 500

CAT No.	Description
148 4864 	<b>Kodak Feed Rollers</b> <b>Includes:</b> 12 feed rollers and 2 pre-separation pads <b>Usage:</b> See the table on page 26 for a guideline on how often to change consumables.
173 6115 	<b>Kodak Separation Module</b> <b>Includes:</b> 1 separation module <b>Usage:</b> this module has the potential to scan up to 250,000 pages.
826 9607 	<b>Kodak Feed Module</b> <b>Includes:</b> 1 feed module <b>Usage:</b> this module has the potential to scan up to 500,000 pages.
868 3724 	<b>Optics Cleaner</b> <b>Includes:</b> 1 optics cleaner <b>Usage:</b> Replace when optics cleaner becomes dirty and shows signs of wear.
125 1842 	<b>Kodak Scan Station Portable USB Drive, 2 GB</b> <b>Includes:</b> 5 per package
186 0949 	<b>USB Replacement Connector</b> <b>Includes:</b> 1 connector <b>Usage:</b> replace when worn or damaged.
179 6747 	<b>Kodak A3 Flatbed Accessory</b> <b>Includes:</b> A3 Flatbed with black background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A3 / 302.7 x 420 mm (11.92 x 18.15 in.).
867 7288 	<b>Kodak A4 Flatbed Accessory</b> <b>Includes:</b> A4 Flatbed with white background and 2-meter (6-ft.) cable <b>Usage:</b> for scanning exception documents. Accommodates document sizes up to A4 / 219 x 300 mm (8.62 x 11.81 in.).

**Feed Module and Separator Module Guidelines for the Scan Station 500, s1220 Photo Scanner, PS400/PS800 Scanners and the i100 / i200 / i1200 / i1300 / i1400 Series Scanners Consumables Kits**

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires.




- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 125,000 pages, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller:** it is recommended that you install a new feed module and separation roller approximately every 4<sup>th</sup> tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation pad:** change every other time you change the feed module, separation roller or change the tires.

<b>Consumables Kit for Scan Station 500, s1220 / PS400/PS800 / i100 / i200 / i1200 / i1300 / i1400 Series Scanners CAT No. 124 1066 / 148 4864</b>				
	<b>Feed Module Tires</b>	<b>Separation Module Tires</b>	<b>Pre-Separation Pads</b>	<b>Cumulative Pages Scanned</b>
<b>New Feed Module/Separation Roller</b>				<b>0</b>
Change pad/tires	4	2	1	125,000
Change pad/tires	4	2		250,000
Change pad/tires	4	2	1	375,000
<b>Totals</b>	<b>12</b>	<b>6</b>	<b>2</b>	<b>500,000</b>

<b>Extra Large Consumables Kit for / i100 / i200 / i1400 Series Scanners CAT No. 821 5808</b>				
	<b>Feed Module Tires</b>	<b>Separation Module Tires</b>	<b>Pre-Separation Pads</b>	<b>Cumulative Pages Scanned</b>
<b>New Feed Module/Separator Module</b>				<b>0</b>
Change pad/tires	4	2	1	125,000
Change pad/tires	4	2		250,000
Change pad/tires	4	2	1	375,000
<b>New Feed Module/ Separator Module</b>				<b>500,000</b>
Change pad/tires	4	2	1	625,000
Change pad/tires	4	2		750,000
Change pad/tires	4	2	1	875,000
<b>New Feed Module/ Separator Module</b>				<b>1,000,000</b>
Change pad/tires	4	2	1	1,125,000
Change pad/tires	4	2		1,250,000
Change pad/tires	4	2	1	1,375,000
<b>New Feed Module/ Separator Module</b>				<b>1,500,000</b>
Change pad/tires	4	2	1	1,625,000
Change pad/tires	4	2		1,750,000
Change pad/tires	4	2	1	1,875,000
<b>New Feed Module/ Separator Module</b>				<b>2,000,000</b>
Change pad/tires	4	2	1	2,125,000
Change pad/tires	4	2		2,250,000
Change pad/tires	4	2	1	2,375,000
<b>Totals</b>	<b>60</b>	<b>30</b>	<b>10</b>	<b>2,500,000</b>












## **Kodak Scan Station 100**







<b>CAT No.</b>	<b>Description</b>
174 7849 	<b>Kodak Feeder Module</b> <b>Includes:</b> 4 feed modules <b>Usage:</b> this module has the potential to scan up to 20,000 pages.
125 1842 	<b>Kodak Scan Station Portable USB Drive, 2 GB</b> <b>Includes:</b> 5 per package
844 5306 	<b>USB Replacement Connector</b> <b>Includes:</b> 1 connector <b>Usage:</b> replace when worn or damaged.



## Kodak i800 Series Scanners

CAT No.	Description
838 9181  <i>Also available in Extra Large size</i> 135 4075	<p><b>Kodak Feeder Consumables Kit / for i800 Series Scanners</b>  <b>Includes:</b> 2 feed modules, 2 separation rollers, 18 pre-separation pads, 100 replacement tires  <b>Usage:</b> see the table on page 30 for a guideline on how often to change consumables.</p> <p><b>Kodak Extra Large Feeder Consumables Kit / for i800 Series Scanners</b>  <b>Includes:</b> 10 feed modules, 10 separation rollers, 76 pre-separation pads, 400 replacement tires  <b>Usage:</b> see the table on page 31 for a guideline on how often to change consumables.</p>
880 3041 	<p><b>Kodak Feeder Kit for Ultra-Lightweight Paper / for i800 Series Scanners</b>  <b>Includes:</b> 2 feed modules, 2 separation rollers, 8 pre-separation pads, 2 defectors            34 replacement tires for feed module, 18 replacement tires for separation roller  <b>Usage:</b> for feeding very thin documents.</p>
876 6545 	<p><b>Kodak Digital Science White Imaging Lamp</b> (1 per package) – four lamps are required  <b>Usage:</b> approximately 500 hours per lamp. It is recommended that all four lamps be changed at the same time.</p>
156 4418 	<p><b>Kodak Imaging Guide Set / for i800 Series Scanners</b>  <b>Includes:</b> 1 upper/1 lower (plastic guides)  <b>Usage:</b> replace as required because of damage and/or scratches.            NOTE: Before ordering, verify whether your imaging guides are <b>plastic</b> or <b>glass</b>. If you have a glass lower guide, order guides from Parts Service. See Part No. 9E4442 on the next page.</p>
149 1869 	<p><b>Kodak Calibration Target / for i800 Series Scanners</b> (50 per package) 11- x 12-inch  <b>Usage:</b> see usage guidelines on page 1.</p>
135 5155 	<p><b>Document Printer: Ink Cartridges / Black</b> (10 cartridges)  <b>Usage:</b> approximately 350,000 to 450,000* characters per ink cartridge.</p>
140 1728 	<p><b>Document Printer: Ink Blotters</b> (60 per package)  <b>Usage:</b> replace when there is a build-up of ink.</p>
826 7486 	<p><b>Document Printer: Ink Cartridge Carrier</b>  <b>Usage:</b> replace if original carrier is lost or damaged.            NOTE: If you have the Enhanced Printer in the i800 Scanner, order Part No. 9E5146 (see next page).</p>
818 3386 	<p><b>Enhanced Printer: Black Ink Cartridge</b> (9 cartridges – 3 packs of 3)  <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.</p>

\* Based on font size (small or large) being used.

CAT No.	Description
159 6832 	<b>Enhanced Printer: Red Ink Cartridge</b> (9 cartridges – 3 packs of 3) <b>Usage:</b> approximately 1,200,000 to 1,700,000* characters per ink cartridge.
183 3839 	<b>Kodak Manual Feeder / for i800 Series Scanners</b> <b>Includes:</b> 1 feed shelf, 2 detachable side guides, and instructions for installation and use <b>Usage:</b> provides a flat surface to aid in manual document feeding.
<b>The following parts can be ordered from Parts Service</b>	
9E5146 	<b>Enhanced Printer: Ink Cartridge Carrier</b> <b>Includes:</b> 1 carrier and ribbon cable <b>Usage:</b> replace if original carrier is lost or damaged. NOTE: If you have the standard printer for the i800 Scanner, order CAT No. 826 7486; see the previous page.
5E4548 	<b>Long-handled Brush</b> <b>Usage:</b> use when cleaning the lower camera glass in an i800 Series Scanner.
9E4442 	<b>Lower Glass Guide</b> <b>Usage:</b> replace when damaged or scratched. NOTE: Before ordering, verify whether your imaging guides are <b>glass</b> or <b>plastic</b> . If you have plastic guides, order guides using CAT No. 156 4418; see the previous page.
9E4453 	<b>Smooth Tires for Feed Module and Separator Roller</b> (38/bag)

\* Based on font size (small or large) being used.

## Feed Module and Separation Roller Guidelines for the i800 Series Scanners Consumable Kits

The following table provides a guideline of how often to change the feed module, separation roller, pre-separation pad and tires. Extra tires are provided in the event one is damaged when replacing tires.

- **Feed module and separation roller tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 250,000 pages; results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed module and separation roller kit:** it is recommended that you install a new feed module and separation roller approximately every 7<sup>th</sup> tire change. Install a new feed module and separation roller at the same time.
- **Pre-separation Pad:** change each time you change the feed module, separation roller or change the tires.

Description	Kodak Feeder Consumables Kit	Kodak Extra Large Feeder Consumables Kit	Kodak Feeder Kit for Ultra-lightweight Paper
	CAT No. 838 9181	CAT No. 135 4075	CAT No. 880 3041
Feed Modules (4 tires)	2	10	2
Separation Rollers (2 tires)	2	10	2
Pre-Separation Pads	18	76	8
Replacement Tires	100	400	
Replacement Tires for Feed Module			34
Replacement Tires for Separation Roller			18
Deflectors			2
<b>Expected scans / kit</b>	<b>3,500,000</b>	<b>17,500,000</b>	<b>2,000,000</b>

Consumables Kit for i800 Series Scanners – CAT No. 838 9181				
	Feed Module Tires	Separation Roller Tires	Pre-Separation Pads	Cumulative Pages Scanned
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>0</b>
Change pad/tires	4	2	1	250,000
Change pad/tires	4	2	1	500,000
Change pad/tires	4	2	1	750,000
Change pad/tires	4	2	1	1,000,000
Change pad/tires	4	2	1	1,250,000
Change pad/tires	4	2	1	1,500,000
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>1,750,000</b>
Change pad/tires	4	2	1	2,000,000
Change pad/tires	4	2	1	2,250,000
Change pad/tires	4	2	1	2,500,000
Change pad/tires	4	2	1	2,750,000
Change pad/tires	4	2	1	3,000,000
Change pad/tires	4	2	1	3,250,000
<b>Totals</b>	<b>48</b>	<b>24</b>	<b>14</b>	<b>3,500,000</b>



**Extra Large Consumables Kit for i800 Series Scanners – CAT No. 135 4075**











	<b>Feed Module Tires</b>	<b>Separation Roller Tires</b>	<b>Pre-Separation Pads</b>	<b>Cumulative Pages Scanned</b>
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>250,000</b>
Change pad/tires	4	2	1	500,000
Change pad/tires	4	2	1	750,000
Change pad/tires	4	2	1	1,000,000
Change pad/tires	4	2	1	1,250,000
Change pad/tires	4	2	1	1,500,000
Change pad/tires	4	2	1	1,750,000
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>2,000,000</b>
Change pad/tires	4	2	1	2,250,000
Change pad/tires	4	2	1	2,500,000
Change pad/tires	4	2	1	2,750,000
Change pad/tires	4	2	1	3,000,000
Change pad/tires	4	2	1	3,250,000
Change pad/tires	4	2	1	3,500,000
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>3,750,000</b>












<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>14,250,000</b>
Change pad/tires	4	2	1	14,500,000
Change pad/tires	4	2	1	14,750,000
Change pad/tires	4	2	1	15,000,000
Change pad/tires	4	2	1	15,250,000
Change pad/tires	4	2	1	15,500,000
Change pad/tires	4	2	1	15,750,000
<b>New Feed Module/Separation Roller</b>			<b>1</b>	<b>16,000,000</b>
Change pad/tires	4	2	1	16,250,000
Change pad/tires	4	2	1	16,500,000
Change pad/tires	4	2	1	16,750,000
Change pad/tires	4	2	1	17,000,000
Change pad/tires	4	2	1	17,250,000
Change pad/tires	4	2	1	17,500,000
<b>Totals</b>	<b>240</b>	<b>120</b>	<b>70</b>	<b>17,500,000</b>



## Kodak Digital Science Document Scanner 9520/9500

CAT No.	Description
834 6538 	<b>Kodak Digital Science Automatic Feeder Replenishment Kit / for Series 5000/7000/9000 Scanners</b> <b>Includes:</b> 2 feed modules, 2 separation rollers, 10 replacement strips, 50 replacement tires <b>Usage:</b> nominal tire life is approximately 250,000 documents depending on paper types, environment and scanner cleanliness.
165 8483 	<b>Kodak Digital Science Super12 Maintenance Kit / for 9520/9500</b> <b>Includes:</b> 1 printer gasket, 1 ink tray, 50 cloth wipes, 1 instruction sheet <b>Usage:</b> replace every 6 to 12 months. <i>Printer Gasket and Instruction Sheet not shown in illustration.</i>
160 0410 	<b>Blue Imaging Color Drop-Out Element (2 lamps per package)</b> <b>Usage:</b> approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
175 9893 	<b>Red Imaging Color Drop-Out Element (2 lamps per package)</b> <b>Usage:</b> approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
104 9675 	<b>Green Imaging Color Drop-Out Element (2 lamps per package)</b> <b>Usage:</b> approximately 300 hours per lamp. Two lamps required for simplex; four lamps required for duplex.
822 6896 	<b>Kodak Imagelink Endorser Die Drum (1 per package)</b> <b>Usage:</b> replace when drum is visibly worn and you are not achieving the expected results. This die drum is for the US market.
831 6770 	<b>Kodak Imagelink Endorser Die Drum (1 per package)</b> <b>Usage:</b> replace when drum is visibly worn and you are not achieving the expected results. This die drum is for the International market.
149 1984 	<b>Kodak Reliant Endorser Ink Roller (Red) – 1 per container</b>
104 0492 	<b>Kodak Reliant Endorser Ink Roller (Green) – 1 per container</b>
142 0272 	<b>Kodak Reliant Endorser Ink Roller (Black) – 1 per container</b>

CAT No.	Description
127 1436 	<b>Kodak Calibration Target</b> (5 targets per package) <b>12- x 12-inch</b> <b>Usage:</b> see usage guidelines on page 1.
822 1376 	<b>Kodak Digital Science Super12 Black Ink Cartridge</b> (6 cartridges per box) <b>Usage:</b> see below*.
145 6532 	<b>Kodak Digital Science Super12 Red Ink Cartridge</b> (6 cartridges per box) <b>Usage:</b> see below*.
135 5155 	<b>Document Printer: Ink Cartridges / Black</b> (10 cartridges) <b>Usage:</b> approximately 350,000 to 450,000† characters per ink cartridge
<b>The following part can be ordered from Parts Service</b>	
324511 	<b>White Imaging Lamp</b> (1 per package) – two lamps required for simplex; four lamps required for duplex. <b>Usage:</b> approximately 500 hours per lamp. It is recommended that both lamps be changed at the same time.
942000 	<b>Kodak Lower Imaging Guide / for Series 900/9000 Scanners</b> (1 per package) <b>Usage:</b> replace as required because of damage and/or scratches.
964365 	<b>Kodak Upper Imaging Guide / for Series 900/9000 Scanners</b> (1 per package) <b>Usage:</b> replace as required because of damage and/or scratches.
984370 	<b>Document Printer: Printer Ink Blotters</b> (6 per package) <b>Usage:</b> replace when there is a build up of ink.
942890 	<b>Kodak Series 9000 Scanners Air Filter</b> (1 air filter) <b>Usage:</b> replace at least every 6 months.












\* Super12 Printer: the estimates below are approximate expected usage rates, and are not guaranteed. The actual number may differ significantly due to many variables associated with the print function.

Contrast Setting	Expected Number of Characters (Approx.)
100	2,236,000
87	2,408,000
75	2,580,000
67	3,096,000
50	3,440,000
37	4,558,000
25	4,644,000
12	5,160,000






† Based on font size (small or large) being used.



## Kodak Imagemark Scanner/Microimager 990










CAT No.	Description
816 2190 	<b>Kodak Imagemark White Imaging Lamp (16-inch)</b> (1 per package) <b>Usage:</b> approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.
806 0824 	<b>Red Color Drop-Out Element (14-inch)</b> (1 lamp per package) <b>Usage:</b> approximately 300 hours per lamp. If you have documents with red text or a red background, use red dropout to remove any red color from the scanned documents.
813 7903 	<b>Blue Color Drop-Out Element (14-inch)</b> (1 lamp per package) <b>Usage:</b> approximately 300 hours per lamp. If you have documents with blue text or a blue background, use blue dropout to remove any blue color from the scanned documents.
817 8626 	<b>Green Color Drop-Out Element (14-inch)</b> (1 lamp per package) <b>Usage:</b> approximately 300 hours per lamp. If you have documents with green text or a green background, use green dropout to remove any green color from the scanned documents.
162 2851 	<b>Red Imaging Element for 990 (16-inch)</b> (1 lamp per package) <b>Usage:</b> approximately 300 hours per lamp. If you have documents with red text or a red background, use red dropout to remove any red color from the scanned documents.
813 0635 	<b>Blue Imaging Element for 990 (16-inch)</b> (1 lamp per package) <b>Usage:</b> approximately 300 hours per lamp. If you have documents with blue text or a blue background, use blue dropout to remove any blue color from the scanned documents.
193 4140 	<b>Green Imaging Element for 990 (16-inch)</b> (1 lamp per package) <b>Usage:</b> approximately 300 hours per lamp. If you have documents with green text or a green background, use green dropout to remove any green color from the scanned documents.
127 1436 	<b>Kodak Calibration Target</b> (5 targets per package) <b>12- x 12-inch</b> <b>Usage:</b> see usage guidelines on page 1.
135 5155 	<b>Document Printer: Ink Cartridges / Black</b> (10 cartridges) <b>Usage:</b> approximately 350,000 to 450,000* characters per ink cartridge
822 1376 	<b>Kodak Digital Science Super12 Black Ink Cartridge</b> (6 cartridges per box) <b>Usage:</b> see description on page 33.
145 6532 	<b>Kodak Digital Science Super12 Red Ink Cartridge</b> (6 cartridges per box) <b>Usage:</b> see description on page 33.

\* Based on font size (small or large) being used.

CAT No.	Description
165 8483 	<b>Kodak Digital Science Super12 Maintenance Kit</b> <b>Includes:</b> 1 printer gasket, 1 ink tray, 50 cloth wipes, 1 instruction sheet <b>Usage:</b> replace every 6 to 12 months. <i>Printer gasket and instruction sheet not shown in illustration.</i>
149 1984 	<b>Kodak Reliant Endorser Ink Roller (Red)</b> – 1 per container
104 0492 	<b>Kodak Reliant Endorser Ink Roller (Green)</b> – 1 per container
142 0272 	<b>Kodak Reliant Endorser Ink Roller (Black)</b> – 1 per container
<b>The following parts can be ordered from Parts Service</b>	
324511 	<b>White Imaging Lamp</b> (1 per package) – two lamps required for simplex; four lamps required for duplex <b>Usage:</b> approximately 500 hours per lamp. It is recommended that both lamps be changed at the same time.



## Kodak Digital Science Document Scanner 7520/7500

CAT No.	Description
834 6538 	<b>Kodak Digital Science Automatic Feeder Replenishment Kit / for Series 5000/7000/9000 Scanners</b> <b>Includes:</b> 2 feed modules, 2 separation rollers, 10 replacement strips, 50 replacement tires <b>Usage:</b> nominal tire life is approximately 250,000 documents depending on paper types, environment and scanner cleanliness.
876 6545 	<b>Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners</b> (1 per package) – one lamp required for simplex; two lamps required for duplex <b>Usage:</b> approximately 500 hours. It is recommended that both lamps be changed at the same time.
800 1307 	<b>Blue Imaging Element for 3000/5000/7000</b> (2 lamps per package) <b>Usage:</b> approximately 300 hours per lamp.
132 9812 	<b>Green Imaging Element for 3000/5000/7000</b> (2 lamps per package) <b>Usage:</b> approximately 300 hours per lamp.
126 0884 	<b>Red Imaging Element for 3000/5000/7000</b> (2 lamps per package) <b>Usage:</b> approximately 300 hours per lamp.
127 1436 	<b>Kodak Calibration Target</b> (5 targets per package) <b>12- x 12-inch</b> <b>Usage:</b> see usage guidelines on page 1.
135 5155 	<b>Document Printer: Ink Cartridges / Black</b> (10 cartridges) <b>Usage:</b> approximately 350,000 to 450,000* characters per ink cartridge.
<b>The following parts can be ordered from Parts Service</b>	
986448 	<b>Front Imaging Guide for / 7000/5000/500</b> (1 per package) <b>Usage:</b> replace as required because of damage and/or scratches.
986449 	<b>Rear Imaging Guide for / 7000/5000/500</b> (1 per package) <b>Usage:</b> replace as required because of damage and/or scratches.




\*Based on font size (large or small) being used.



## Kodak Digital Science Color Scanner 4500

CAT No.	Description
108 5992   <i>Also available in Extra Large size</i> 106 8493	<p><b>Kodak Digital Science Feed Module Kit 250 / for Series 3000/4000</b>  <b>Includes:</b> 1 feed module with one set (4) of tires installed, 18 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 1,750,000 pages.</p> <hr/> <p><b>Kodak Extra Large Feed Module Kit 250 / for Series 3000/4000</b>  <b>Includes:</b> 5 feed modules with one set (4) of tires installed, 90 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 8,750,000 pages.</p>
828 0604   <i>Also available in Extra Large size</i> 139 7785	<p><b>Kodak Digital Science Separator Roller Kit / for Series 3000/4000 Scanners</b>  <b>Includes:</b> 1 separator roller with 2 tires installed, 10 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 1,750,000 pages.</p> <hr/> <p><b>Kodak Extra Large Separator Roller Kit / for Series 3000/4000 Scanners</b>  <b>Includes:</b> 5 separator rollers with 2 tires installed, 50 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 8,750,000 pages.</p>
158 8052 	<p><b>Kodak Separator Roller, Type 2 / for Series 3000/4000 Scanners</b> (1 per package)  <b>Usage:</b> replacement at approximately 300,000 to 400,000 pages. This optional roller can be used instead of the Separation Roller Kit (CAT No. 828 0604) for optimizing scanner performance based on the type of documents being scanned.</p>
854 6012 	<p><b>Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series</b>  <b>Includes:</b> 1 separator roller kit, 2 white lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg)  <b>Usage:</b> see individual items for usage.</p>
876 6545 	<p><b>Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners</b> (1 per package) – one lamp required for simplex; two lamps required for duplex  <b>Usage:</b> approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.</p>
825 0698 	<p><b>Kodak Digital Science Image Guide / for Scanner 4000 Series</b> (1 per package)  <b>Usage:</b> replace as required because of damage and/or scratches.</p>
127 1436 	<p><b>Kodak Calibration Target</b> (5 targets per package) <b>12- x 12-inch</b>  <b>Usage:</b> see usage guidelines on page 1.</p>
135 5155 	<p><b>Document Printer: Ink Cartridges / Black</b> (10 cartridges)  <b>Usage:</b> approximately 350,000 to 450,000* characters per ink cartridge            For use with the <i>Kodak Digital Science Color Scanner 4500DP</i> only.</p>
839 4306 	<p><b>Document Printer: Ink Blotters</b>  <b>Includes:</b> 24 blotters per package (12 small/12 large) – 2 each required  <b>Usage:</b> replace when there is a build-up of ink.</p>

\* Based on font size (small or large) being used.






CAT No.	Description
826 7486 	<b>Document Printer: Ink Cartridge Carrier</b> <b>Usage:</b> replace if original carrier is lost or damaged. <ul style="list-style-type: none"> <li>• If you previously ordered CAT No. 838 4485 (Ink Cartridge Carrier), order this carrier now.</li> </ul>
858 3858 	<b>Kodak Digital Science Output Deflector</b> <b>Usage:</b> replace if original deflector is lost or damaged.
876 7485 	<b>Kodak Digital Science Enhanced Output Tray</b> Holds up to 350 sheets of paper.












## Kodak Digital Science Color Scanner 3590C




CAT No.	Description
 108 5992  <i>Also available in Extra Large size</i> 106 8493	<p><b>Kodak Digital Science Feed Module Kit 250 / for Series 3000/4000</b>  <b>Includes:</b> 1 feed module with one set (4) of tires installed, 18 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 1,750,000 pages.</p> <hr/> <p><b>Kodak Extra Large Feed Module Kit 250 / for Series 3000/4000</b>  <b>Includes:</b> 5 feed modules with one set (4) of tires installed, 90 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 8,750,000 pages.</p>
 828 0604  <i>Also available in Extra Large size</i> 139 7785	<p><b>Kodak Digital Science Separator Roller Kit / for Series 3000/4000 Scanners</b>  <b>Includes:</b> 1 separator roller with 2 tires installed, 10 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 1,750,000 pages.</p> <hr/> <p><b>Kodak Extra Large Separator Roller Kit / for Series 3000/4000 Scanners</b>  <b>Includes:</b> 5 separator rollers with 2 tires installed, 50 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 8,750,000 pages.</p>
 153 7240	<p><b>Kodak Digital Science Feed Module 150 / for Scanner 3500</b>  <b>Includes:</b> 1 feed module with one set of tires (4) installed  <b>Usage:</b> replacement at approximately 600,000 to 1,000,000 pages.</p>
 158 8052	<p><b>Kodak Separator Roller, Type 2 / for Series 3000/4000 Scanners</b> (1 per package)  <b>Usage:</b> replacement at approximately 300,000 to 400,000 pages. This optional roller can be used instead of the Separation Roller Kit (CAT No. 828 0604) for optimizing scanner performance based on the type of documents being scanned.</p>
 854 6012	<p><b>Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series</b>  <b>Includes:</b> 1 separator roller kit, 2 white lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. roller cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg)  <b>Usage:</b> see individual items for usage.</p>
 876 6545	<p><b>Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners</b> (1 per package) – two lamps are required</p>
 800 1307	<p><b>Blue Imaging Element for 7000/5000/3000</b> (2 lamps per package)  <b>Usage:</b> approximately 300 hours.</p>
 132 9812	<p><b>Green Imaging Element for 7000/5000/3000</b> (2 lamps per package)  <b>Usage:</b> approximately 300 hours.</p>
 126 0884	<p><b>Red Imaging Element for 7000/5000/3000</b> (2 lamps per package)  <b>Usage:</b> approximately 300 hours.</p>
 156 9664	<p><b>Kodak Digital Science Front Imaging Guide / for Scanner 3590C</b>  <b>Includes:</b> 1 per package  <b>Usage:</b> replace as required because of damage and/or scratches.</p>

CAT No	Description
806 6318 	<b>Kodak Digital Science Rear Imaging Guide / for Scanner 3000 Series</b> <b>Includes:</b> (1 per package) <b>Usage:</b> replace as required because of damage and/or scratches.
127 1436 	<b>Kodak Calibration Target</b> (5 targets per package) <b>12- x 12-inch</b> <b>Usage:</b> see usage guidelines on page 1.
181 6826 	<b>Kodak Digital Science Output Tray / for 3500 Scanner</b> – holds up to 250 sheets of paper <b>Usage:</b> replacement available if original tray is lost or damaged.
858 3858 	<b>Kodak Digital Science Output Deflector</b> <b>Usage:</b> replace if original deflector is lost or damaged.
876 7485 	<b>Kodak Digital Science Enhanced Output Tray</b> Holds up to 350 sheets of paper.



## Kodak Digital Science 3500, 3510, 3520 Scanners

CAT No.	Description
108 5992   <i>Also available in Extra Large size</i> 106 8493	<p><b>Kodak Digital Science Feed Module Kit 250 / for Series 3000/4000</b>  <b>Includes:</b> 1 feed module with one set (4) of tires installed, 18 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 1,750,000 pages.</p> <p><b>Kodak Extra Large Feed Module Kit 250 / for Series 3000/4000</b>  <b>Includes:</b> 5 feed modules with one set (4) of tires installed, 90 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 8,750,000 pages.</p>
828 0604   <i>Also available in Extra Large size</i> 139 7785	<p><b>Kodak Digital Science Separator Roller Kit / for Series 3000/4000 Scanners</b>  <b>Includes:</b> 1 separator roller with 2 tires installed, 10 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 1,750,000 pages.</p> <p><b>Kodak Extra Large Separator Roller Kit / for Series 3000/4000 Scanners</b>  <b>Includes:</b> 5 separator rollers with 2 tires installed, 50 replacement tires  <b>Usage:</b> this kit has the potential to scan up to 8,750,000 pages.</p>
158 8052 	<p><b>Kodak Separator Roller, Type 2 / for Series 3000/4000 Scanners</b> (1 per package)  <b>Usage:</b> replacement at approximately 300,000 to 400,000 pages. This optional roller can be used instead of the Separation Roller Kit (CAT No. 828 0604) for optimizing scanner performance based on the type of documents being scanned.</p>
854 6012 	<p><b>Kodak Digital Science Maintenance Kit / for Scanner 3000/4000 Series</b>  <b>Includes:</b> 1 separator roller kit, 2 white imaging lamps, 1 pkg. cleaning sheets (50/pkg), 1 pkg. cleaning pads (24/pkg), 6 boxes Staticide wipes (24/box), 1 pkg. calibration targets (5/pkg)  <b>Usage:</b> see individual items for usage.</p>
876 6545 	<p><b>Kodak Digital Science White Imaging Lamp / for Series 500/i800/3000/4000/5000/7000 Scanners</b> (1 per package) - one lamp required for simplex; two lamps required for duplex  <b>Usage:</b> approximately 500 hours. It is recommended that both lamps (duplex) be changed at the same time.</p>
800 1307 	<p><b>Blue Imaging Element for 7000/5000/3000</b> (2 lamps per package)  <b>Usage:</b> approximately 300 hours per lamp.</p>
132 9812 	<p><b>Green Imaging Element for 7000/5000/3000</b> (2 lamps per package)  <b>Usage:</b> approximately 300 hours per lamp.</p>
126 0884 	<p><b>Red Imaging Element for 7000/5000/3000</b> (2 lamps per package)  <b>Usage:</b> approximately 300 hours per lamp.</p>
806 6318 	<p><b>Kodak Digital Science Front/Rear Imaging Guide / for Scanner 3520/3510/3500</b>  <b>Usage:</b> replace as required because of damage and/or scratches.</p>

CAT No.	Description
127 1436 	<b>Kodak Calibration Target</b> (5 targets per package) <b>12- x 12-inch</b> <b>Usage:</b> see usage guidelines on page 1.
858 3858 	<b>Kodak Digital Science Output Deflector</b> <b>Usage:</b> replace if original deflector is lost or damaged.
876 7485 	<b>Kodak Digital Science Enhanced Output Tray / for Series 3000 Scanners</b> Holds up to 350 sheets of paper.

### Feed Module and Separation Roller Guidelines for the 3000 and 4000 Series Scanners Consumable Kits

The following table provides a guideline of how often to change the feed module, separation roller and tires. Extra tires are provided in the event one is damaged when replacing tires.

- **Feed Module and Separation Roller Tires:** tire life will vary depending upon paper types, environment and cleanliness. Nominal tire life is approximately 250,000 documents, results will vary. Degradation of feeder performance, multiple feeds, stoppages, etc. indicate a need to change tires. Change all tires on the feed module and separation roller at the same time.
- **Feed Module and Separation Roller:** it is recommended that you install a new feed module and separation roller approximately every 4<sup>th</sup> tire change. Install a new feed module and separation roller at the same time.


Description	Feed Module 250 Kit	Separation Roller Kit	Extra Large Feed Module 250 Kit	Extra Large Separation Roller Kit
	CAT No. 108 5992	CAT No. 828 0604	CAT No. 106 8493	CAT No. 139 7785
Feed Modules (4 tires)	1	0	5	0
Separation Module (2 tires)	0	1	0	5
Pre-Separation Pads	0	0	0	0
Replacement Tires	18	10	90	50
<b>Expected scans / kit</b>	<b>1,250,000</b>	<b>1,250,000</b>	<b>6,250,000</b>	<b>6,250,000</b>

Feed Module 250 Kit for 3000/4000 Series Scanners CAT No. 108 5992			
Separator Roller Kit for 3000/4000 Series Scanners CAT No. 828 0604			
	Feed Module Tires	Separation Roller Tires	Cumulative Pages Scanned
<b>New Feed Module/Separation Roller</b>			<b>0</b>
Change pad/tires	4	2	<b>250,000</b>
Change pad/tires	4	2	<b>500,000</b>
Change pad/tires	4	2	<b>750,000</b>
Change pad/tires	4	2	<b>1,000,000</b>
<b>Totals</b>	<b>16</b>	<b>8</b>	<b>1,250,000</b>

Extra Large Feed Module 250 Kit for 3000/4000 Series Scanners		CAT No. 106 8493	
Extra Large Separation Roller Kit for 3000/4000 Series Scanners		CAT No. 139 7785	
	Feed Module Tires	Separation Roller Tires	Cumulative Pages Scanned
<b>New Feed Module/Separation Roller</b>			<b>0</b>
Change pad/tires	4	2	250,000
Change pad/tires	4	2	500,000
Change pad/tires	4	2	750,000
Change pad/tires	4	2	1,000,000
<b>New Feed Module/Separation Roller</b>			<b>1,250,000</b>
Change pad/tires	4	2	1,500,000
Change pad/tires	4	2	1,750,000
Change pad/tires	4	2	2,000,000
Change pad/tires	4	2	2,250,000
<b>New Feed Module/Separation Roller</b>			<b>2,500,000</b>
Change pad/tires	4	2	2,750,000
Change pad/tires	4	2	3,000,000
Change pad/tires	4	2	3,250,000
Change pad/tires	4	2	3,500,000
<b>New Feed Module/Separation Roller</b>			<b>3,750,000</b>
Change pad/tires	4	2	4,000,000
Change pad/tires	4	2	4,250,000
Change pad/tires	4	2	4,500,000
Change pad/tires	4	2	4,750,000
<b>New Feed Module/Separation Roller</b>			<b>5,000,000</b>
Change pad/tires	4	2	5,250,000
Change pad/tires	4	2	5,500,000
Change pad/tires	4	2	5,750,000
Change pad/tires	4	2	6,000,000
<b>Totals</b>	<b>80</b>	<b>40</b>	<b>6,250,000</b>




## **Kodak Digital Science Scanner 2500**

CAT No.	Description
177 5485 	<b>Kodak Digital Science Roller Exchange Kit / for Scanner 2500D</b> <b>Includes:</b> feed roller assembly, retard roller, 1 package of 3 roller cleaning pads <b>Usage:</b> replacement at approximately 300,000 pages.





## **Kodak Digital Science Scanner 1500**

CAT No.	Description
191 2427 	<b>Kodak Digital Science Roller Exchange Kit / for Scanner 1500</b> <b>Includes:</b> dual feed roller, single separator roller, retard roller, 1 package of 3 roller cleaning pads <b>Usage:</b> replacement at approximately 300,000 pages.



## **Kodak i50/i55/i60/i65/i80 Scanners**

CAT No.	Description
162 3362 	<b>Kodak Feed Module for Scanners i50/i55/i60/i65/i80</b> <b>Includes:</b> 4 snap-in feed modules <b>Usage:</b> replace the snap-in feed module approximately every 100,000 pages.
154 4303 	<b>Kodak i55/i65 Feed Roller Kit (for Kodak i55/i65 Scanners only)</b> <b>Includes:</b> 1 feed roller <b>Usage:</b> replace when the paper roller is worn.